

€ 24,99

De Medische Tester

Gratis levering

Prijzen vergelijken van 2 winkels



HIV sneltest ByMe

€ 29,95

Soapoli-online

€ 3,75 verzendkosten



ByMe - HIV Zelftest - SOA Test

€ 29,95

bol.com

Gratis levering



ABOUT HIV

HIV (human immunodeficiency virus) is a virus that attacks the body's immune system. If HIV is not treated, it can lead to AIDS (acquired immunodeficiency syndrome). Learning the basics about HIV can keep you healthy and prevent HIV transmission. You can also download materials to share or watch videos on basic information about HIV.




Low Resolution Video

What is HIV?

- HIV (human immunodeficiency virus) is a virus that attacks the body's immune system. If HIV is not treated, it can lead to <u>AIDS</u> (acquired immunodeficiency syndrome).
- There is currently no effective cure. Once people get HIV, they have it for life.
- But with proper medical care, HIV can be controlled. People with HIV who get <u>effective HIV</u>
 treatment can live long, healthy lives and protect their partners.





List of AIDS-Defining Illnesses

The current list of AIDS-defining illnesses according to the CDC are [2]:

- Bacterial infections, multiple or recurrent
- <u>Candidiasis</u> of bronchi, trachea, or lungs
- Candidiasis of the esophagus
- Cervical cancer (invasive)
- <u>Coccidioidomycosis</u>, disseminated
- Cryptococcosis, presenting outside of the lung
- Cryptosporidiosis, chronic intestinal for longer than one month
- Cytomegalovirus (CMV) with loss of vision
- <u>Cytomegalovirus</u> disease (other than in the liver, spleen, or lymph nodes)
- Encephalopathy (HIV-related, also knows as AIDS dementia complex)
- Herpes simplex virus (HSV), lasting longer than a month or appearing in an area other than the skin (such as esophagus or lungs)
- Histoplasmosis, disseminated
- Kaposi's sarcoma (KS)
- Lymphoid interstitial pneumonia or pulmonary lymphoid hyperplasia complex
- Burkitt lymphoma (or equivalent term)
- Immunoblastic lymphoma (or equivalent term)
- Primary lymphoma of the brain
- <u>Mycobacterium avium complex</u> or Mycobacterium kansasii, disseminated
- Mycobacterium tuberculosis of any site in or out of the lungs
- Mycobacterium or similar species, disseminated beyond the lung
- Pneumocystis pneumonia caused by the fungus Pneumocystis jiroveci
- Pneumonia, recurrent
- Progressive multifocal leukoencephalopathy (PML)
- Salmonella septicemia, recurrent
- Toxoplasmosis of the brain
- Tuberculosis
- Wasting syndrome

A family of human T-cell lymphotropic retroviruses (HTLY) comprises two major and well characterized subgroups of human retroviruses, called (ulemen /lymphora vera), and becently a new variant of HTL HTLV-I (been isolated from a patient with lymphademopathy named also as lymphadenopathy associated virus (LAY) () which is described here as The most common isolate obtained from patients with mature Tcell malignancies is HTLV-I (). Seroepidemiological and nucleic acid hybridization data indicate that HTLY-I __including its new subtype, is etiologically associated with T-cell leukemia/lymphoma of adults (١. The disease clusters in the south of Japan (), the Caribbean (Africa () and can be found in other parts of the world. HTLY of subgroup II (HTLY-II) was first isolated from a patient with a benign form of a). To date, this virus repre-T-cell variant of hairy cell leukemia (sents the only isolate obtained from a patient with neoplastic disease. However, isolation of retroviruses and seroepidemiological data suggest that HTLY of both subgroups, -including new variants from subgroup III. may the acquired immune deficiency syndrome EpidemioTogic data strongly suggest that AIDS is caused by an infectiMAR 21 RECG



P.O. Box B. Frederick. Maryland 21701

March 26, 1984

Dr. Mika Papovic Laboratory of Tumor Cell Biology NIH Building 37, Room 6B22 Bethesda, MD 20205

Dear Mika:

I am sending you 4 extra copies of results requested by Betsy Read. She said Dr. Gallo wanted these micrographs for publication because they contained HTLV particles. If this assumption is based on the cultures being antigen positive, I would like to point out that the "particles" in micrograph 0905 are in debris of a degenerated cell. No other extracellular "virus-like particles" were observed free between cells anywhere in the pellet. The small extracellular vesicles in 0904 are at least 50% smaller than HTLV mature particles seen in type I, II, or III. Again, these vesicles can be found in any cell pellet. I do not believe any of the particles photographed are HTLV I, II, or III.

Best regards,

mais

Matthew A. Gonda, Ph.D. Head, Electron Microscopy Laboratory

MAG:jah

Enclosures

cc: - Dr. Gallo Betsy Read E-mail this to a friend



Smallpox demise linked to spread of HIV infection

The worldwide eradication of smallpox may, inadvertently, have helped spread HIV infection, scientists believe.

Experts say the vaccine used to wipe out smallpox offered some protection against the Aids virus and, now it is no longer used, HIV has flourished.



But they say in the journal BMC Immunology it is too early to recommend smallpox vaccine for fighting HIV.

Kill no cure

Lead researcher Dr Raymond Weinstein, from Virginia's George Mason University, said: "There have been several proposed explanations for the rapid spread of HIV in Africa, including wars, the reuse of unsterilised needles and the contamination of early batches of polio vaccine.

"However, all of these have been either disproved or do not sufficiently explain the behaviour of the HIV pandemic."

Dr Weinstein and his colleagues believe immunisation against smallpox may go some way to explain the recent rises in HIV prevalence.



By 1980 smallpox had been eradicated

	A CONTRACTOR OF THE PARTY OF TH	
	100	Service of the last
		A A
		Separate Separate
1	7	I F P
	The second	A
	MO	SPL

SEE ALSO

- How doctors killed off smallpox 03 Jul 05 | Health
- Smallpox jab HIV claims rejected 12 Sep 03 | Health

RELATED INTERNET LINKS

- BMC Immunology
- Terrence Higgins Trust

The BBC is not responsible for the conter internet sites

TOP HEALTH STORIES

- . Stem cell method put to the test
- · Hospitals 'eyeing private market'
- Low vitamin D 'Parkinson's link'



MOST POPULAR STORIES NOW

SH	ARED	READ	WATCHED/LISTENE
1	BBC	News	
2	BBC	News	
3	BBC	News	



Jason Warriner, clinical director for the Terrence Higgins Trust

Forbes

EDITORS FICK | OCC 20, 2020, 01.43piii EDI | 2,213,463 Views

Researchers Warn Some Covid-19 Vaccines Could Increase Risk Of HIV Infection



Robert Hart Forbes Staff Business I cover breaking news.





Listen to article 3 minutes



TOPLINE Some of the Covid-19 vaccines currently in development could increase the risk of acquiring HIV, warned a group of researchers in the *The Lancet* medical journal Monday, potentially leading to an increase in infections as vaccines are rolled out to vulnerable populations around the world.



Case Report | Open Access | Published: 26 October 2021

Acute HIV infection syndrome mimicking COVID-19 vaccination side effects: a case report

Julian Triebelhorn ☑, Stefanie Haschka, Felix Hesse, Johanna Erber, Simon Weidlich, Marcel Lee, Dieter Hoffmann, Josef Eberle & Christoph D. Spinner

AIDS Research and Therapy 18, Article number: 78 (2021) | Cite this article
4770 Accesses | 245 Altmetric | Metrics

Abstract

Background

Symptoms of primary HIV infection, including fever, rash, and headache, are nonspecific and are often described as flu-like. COVID-19 vaccination side effects, such as fever, which occur in up to 10% of people following COVID-19 vaccination, can make the diagnosis of acute HIV infection even more challenging.

Case presentation

A 26-year-old man presented with fever and headache following COVID-10 vaccination. The

Triple Vaccinated are developing Acquired Immunodeficiency Syndrome at an alarming rate according to Government data

BY THE EXPOSÉ ON JANUARY 21, 2022 • (35 COMMENTS)



An investigation of 5 months worth of official UK Government data confirms predictions previously made by The Expose that the Covid-19 "booster" dose would provide a very short lived temporary boost to the immune systems of the vaccinated population before continuing to decimate their immune systems but at a much more rapid pace.

In short, official UK Government data strongly suggests that the Covid-19 vaccinated population are developing some new form of Covid-19 vaccine induced acquired immunodeficiency syndrome at an alarming rate.

The UK Health Security Agency (UKHSA) publish a weekly Vaccine Surveillance Report, with each report containing four weeks worth of data on Covid-19 cases, hospitalisations, and deaths by vaccination status. For our investigation we analysed 5 of these published Vaccine Surveillance Reports containing data from August 16th 2021 to January 2nd 2022, in order to get a clear picture on



Vaccine's can offer specific protection but studies suggest there may be unintended consequences to our immune system. (ustas7777777/Shutterstock)

PREMIUM

VIEWPOINTS

How COVID Shots Suppress Your Immune System



Joseph Mercola

February 7, 2022 Updated: February 7, 2022


AÀ



rint

Commentary

In a non-peer-reviewed research paper just this week published, Stephanie Seneff, Ph.D., describes a mechanism of the COVID shots that results in the suppression of your innate immune system. It does this by inhibiting the type-1 interferon pathway.



EUGENICS

SARS-Cov-2 is HIV and Dr. Anthony Fauci Holds the Patents!

In 2020 Indian Scientists Discovered COVID-19 Was Engineered with AIDS-Like Insertions – Emails Show Fauci Called It "Outlandish" which led to the Published Study Being Withdrawn

By Joe Hoft Published June 8, 2021 at 8:20am Comments





Share to Gab











Coronavirus COVID19

Dr Anthony Fauci Threatened Indian Scientists To Withdraw Study Linking COVID-19 To AIDS Virus

June 6, 2021

Last year group of Indian scientists discovered that coronavirus was engineered with AIDS like insertions. After *GreatGameIndia* published the results of the study, it attracted heavy criticism to an extent that the authors were forced to retract their paper. Now, Fauci Emails reveal that it was Dr Anthony Fauci himself who threatened the Indian scientists and forced them to withdraw their study linking COVID-19 to AIDS virus.



Join our Telegram channel

UPDATE on this article: How Top British Scientists Covered Up COVID-19
Bioweapons Research

इस लेख को हिंदी में पढ़ें: जब डॉ. एंटनी फौसी ने दी भारतीय वैज्ञानिकों को COVID-19 को एड्स वायरस से जोड़ने वाले अध्ययन को वापस लेने की धमकी

Did Controversial AZT Treatment Kill More Patients than AIDS in '80s, '90s?

Commonly called AZT, azidothymidine was originally produced to treat cancer two decades prior to the HIV epidemic.

By Madison Dapcevich

Published 21 September 2021
















MATTHEW McCONAUGHEY

DALLAS BUYERS CLUB

AND ADDRESS OF THE SAME ADDRESS OF THE SAME AND ADDRESS OF THE SAME AND ADDRES



MH17 crash: Aids researchers heading to Melbourne believed among dead

Scientists were on route to the 20th international Aids conference, due to start on Sunday



□ Debris from the crashed plane in Grabovo. Photograph: Pierre Crom/Getty Images Photograph: Pierre Crom/Getty Images

Delegates to a key Aids conference in Australia are believed to have been on board the Malaysia Airlines plane that has crashed in Ukraine.

Scientists, researchers and other professionals were on their way to Aids 2014, the 20th international Aids conference in Melbourne. The event, to be held between 20 and 25 July, will feature former US president Bill Clinton and